

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31 Printing date 19.04.2012 Version number 3 Revision: 19.04.2012 1 Identification of the substance/mixture and of the company/ undertaking · Product identifier Screen Printing Ink · Range: UVXTRA VB - VB00B · Product Code(s): VB001 VB009 VB064 VB066 VB114 VB121 VB164 VB165 VB230 VB325 VB381 · Relevant identified uses of the substance or mixture and uses advised against The product should not be used for any purpose other than that specified in Section 1. · Details of the supplier of the safety data sheet • Manufacturer: Fujifilm Speciality Ink Systems Limited Pysons Road, Broadstairs, Kent. CT10 2LE. Tel. +44 (0)1843 866668 Information department: Product Safety Department. +44 (0)1843 872030 elaine.campling@fujifilmsis.com • Emergency telephone number: Elaine Campling BSc.(Hons) +44(0)1843 872030 · Distributor: FUJIFILM UK LTD St Martins Way St Martins Business Centre Bedford. MK42 OLF UK TEL : +44 (0) 1234 245245 2 Hazards identification · Classification of the substance or mixture Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🗙 Xi; Irritant R38-41: Irritating to skin. Risk of serious damage to eyes. Xi; Sensitising R43: May cause sensitisation by skin contact. · Classification system: The classification was made according to the latest editions of the EU-lists, and expanded by company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives on Hazardous Materials · Code letter and hazard designation of product: Xi Irritant · Hazard-determining components of labelling: Oxybis(methyl-2,1-ethanediyl) diacrylate Hexamethylene diacrylate · Risk phrases: 38 Irritating to skin. 41 Risk of serious damage to eyes. 43 May cause sensitisation by skin contact. · Safety phrases: In case of contact with eyes, rinse immediately with plenty of water 26 and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  $\cdot$  Other hazards · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 2)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012

Version number 3

Revision: 19.04.2012

Range: UVXTRA VB - VB00B

(Contd. of page 1)

• **vPvB:** Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous component</li> </ul>	Dangerous components:			
CAS: 57472-68-1 EINECS: 260-754-3	Oxybis(methyl-2,1-ethanediyl) diacrylate Xi R38-41; Xi R43 Eye Dam. 1, H318;	25-50%		
CAS: 13048-33-4 EINECS: 235-921-9	Hexamethylene diacrylate Xi R36/38; Xi R43 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	1-5%		
CAS: 67906-98-3	2-Propenoic acid,1,6-hexanediyl ester, polymer with 2-aminoethanol Xi R36/38 () Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%		
CAS: 75980-60-8 EINECS: 278-355-8	Phosphine Oxide,Diphenyl(2,4,6-tri-Methylbenzoyl)- Xn R62; Repr. 2, H361; Aquatic Chronic 2, H411	<1.0%		

For the wording of the listed risk phrases refer to section 16.

# 4 First aid measures

 $\cdot$  Description of first aid measures

• General information Never make an unconscious person vomit or drink fluids.

- Immediately remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of complaints.
  After skin contact
- Immediately wash with soap and water and rinse thoroughly. If skin irritation continues, consult a doctor.
  - II SKIN ITTITATION CONTINUES, CONSULT A doctor.

• After eye contact Rinse open eye for several minutes under running water. Then consult a doctor.

- Call a doctor immediately.
- After swallowing Give patient copious a

Give patient copious amounts of water to drink and provide fresh air. Call for a doctor immediately.

Information for doctor

- $\cdot$  Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

٠	Extinguishing media
٠	Suitable extinguishing agents
	CO2, extinguishing powder or water spray. Fight larger fires with water spray
	or alcohol resistant foam.
٠	For safety reasons unsuitable extinguishing agents Water with full jet.
٠	Special hazards arising from the substance or mixture
	In case of fire, the following can be released:
	Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Under certain fire conditions, traces of other toxic gases cannot be excluded.
•	Advice for firefighters
•	<b>Protective equipment:</b> Wear self-contained breathing apparatus.
	(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012

Version number 3

Revision: 19.04.2012

(Contd. of page 2)

Range: UVXTRA VB - VB00B

# · Additional information

Cool endangered containers with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Refer to the protective measures stated in Sections 7 and 8. Keep unprotected personnel away.
- Environmental precautions:
   Do not allow product to reach sewage system or any water course.
   Inform respective authorities if seepage into water course or sewage system occurs.
   Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust).
   Dispose of contaminated material as waste according to section 13.
- **Reference to other sections** See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

- Handling
- **Precautions for safe handling** Store in cool, dry place in tightly sealed containers. Keep away from heat and direct sunlight. Ensure good ventilation and extraction at the workplace.
- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with current national regulations.
- Requirements to be met by storerooms and containers: Store between 5 30°C.
- Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

· Additional information:

The instructions and information provided by the manufacturer of the personal protective equipment on use, storage, maintenance and replacement must always be followed.

- Exposure controls
- General protective and hygienic measures
  Keep away from foodstuffs, beverages and feed.
  Immediately remove all soiled and contaminated clothing
  Wash hands before breaks and at the end of work.
  Avoid contact with the eyes and skin.
  Store protective clothing separately.

  Breathing equipment: Not necessary if room is well-ventilated.
  Protection of hands:
- Gloves should be replaced regularly and if there is any sign of damage to the glove material.

(Contd. on page 4)

GE

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012Version number 3Revision: 19.04.2012

# Range: UVXTRA VB - VB00B

	(Contd. of page 3)
· · ·	loves (short duration exposure of few minutes, Not to be reused when removed.
mechanical handling activities)	nitrile gloves (longer duration exposure or . To be replaced immediately when punctured or
immediately when punctured or do There is no one glove material unlimited resistance to any ind The selection of single or mult.	ves (when using solvents). To be replaced egraded. or combination of materials that will give ividual or combination of chemicals. i-use gloves is dependent upon the level of
chemical damage and poor mainte. defects and that they are stored	s of the glove may be reduced by physical/ nance. Always ensure that gloves are free from d and used correctly. regular basis for any signs of skin damage or
· Penetration time of glove mater.	s to be obtained from the manufacturer of the bserved.
Protective work clothing; dispo	sable overalls are preferable.
Since acrylates do not evaporate extended periods. This long te	ic solvent, are skin and/or eye irritants. e, they will remain on the skin or clothes for rm exposure, caused by the non volatility, can essential that the measures given above are
(Control of Substances Hazardou See COSHH Essentials for Printe www.hse.gov.uk and enter 'COSHH	· 1
9 Physical and chemical prop	perties
<ul> <li>Information on basic physical as</li> <li>General Information</li> </ul>	nd chemical properties
· Appearance:	
Form: Colour:	Fluid According to product specification
· Odour:	Characteristic
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	
· Flash point:	Not applicable
· Self igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
• Density at 20°C: • Water:	1.14 g/cm³ Not miscible or difficult to mix
<pre>• Viscosity:</pre>	Not determined. Not determined.
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>VOC(EU):</li> </ul>	0.0 %
• Other information	No further relevant information available.

- GB -(Contd. on page 5)

Revision: 19.04.2012

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012

Version number 3

Range: UVXTRA VB - VB00B

10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Stable until: 50°C
- · Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 57472-68-1 Oxybis(methyl-2,1-ethanediyl) diacrylate

Oral LD50 >2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.

#### 12 Ecological information

· Toxicity

#### Aquatic toxicity:

57472-68-1 Oxybis(methyl-2,1-ethanediyl) diacrylate

EC50/48 h 10-100 mg/l (Daphnia)

EC50/72 h 10-100 mg/l (Aquatic Plants)

LC50/96 h 1-10 mg/l (Brachydanio rerio)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

There are no data on the preparation itself.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

Do not allow product to reach ground water, water course or sewage system.

- $\cdot$  Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- $\cdot$  Other adverse effects No further relevant information available.

### 13 Disposal considerations

#### · Waste treatment methods

· Recommendation

Must not be disposed together with household rubbish. Do not allow product to reach sewage system.

- European waste catalogue
  - 08 03 12\* waste ink containing dangerous substances
  - Waste Hazard Classification: H4 Irritant
  - Recommendation:
    - Also see Section 16 'Other Information'

(Contd. on page 6)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012

Version number 3

Revision: 19.04.2012

(Contd. of page 5)

# Range: UVXTRA VB - VB00B

Dispose of product according to official regulations.

14 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>Transport hazard class(es)</li> <li>ADR, ADN, IMDG, IATA</li> <li>Class</li> </ul>	Void
• Packing group • ADR, IMDG, IATA	Void
<ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
$\cdot$ Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Anne II of MARPOL73/78 and the IBC Code</li> </ul>	
• Transport/Additional information:	Not dangerous according to the above specifications.

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Markings according to EU guidelines: The product has been classified and marked in accordance with EU Directives on Hazardous Materials
- Code letter and hazard designation of product: Xi Irritant
- Hazard-determining components of labelling: Oxybis(methyl-2,1-ethanediyl) diacrylate Hexamethylene diacrylate

#### · Risk phrases:

- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.
- · Safety phrases:
  - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

### 16 Other information

For UK Only; disposal can be arranged by Environmental Services, Telephone Number: (01843) 872080 Fax Number: (01843) 872068 This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 7)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.04.2012Version number 3Revision: 19.04.2012

Range:	UVXTRA	VВ	-	VB00B	

H36 H41	
R38 R41 R43 R51 R62 • <b>Rec</b> The	Risk of serious damage to eyes. May cause sensitisation by skin contact. /53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Pro	<b>artment issuing MSDS:</b> duct Safety Department - Fujifilm Speciality Ink Systems Limited <b>tact:</b> Elaine Campling BSc.(Hons) - Product Safety Manager