



Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

1 Identification of the substance/mixture and of the company/ undertaking

- · Product identifier Screen Printing Ink
- · Range: UVXTRA VB VB00C
- Product Code(s): VB021 VB382
- · Relevant identified uses of the substance or mixture and uses advised against The product should not be used for any purpose other than that specified in Section 1.
- \cdot Details of the supplier of the safety data sheet
- · Manufacturer:

Fujifilm Speciality Ink Systems Limited Pysons Road, Broadstairs, Kent. CT10 2LE. Tel. +44 (0)1843 866668

· Information department:

Product Safety Department. +44 (0)1843 872030 elaine.campling@fujifilmsis.com

- · Emergency telephone number: Elaine Campling BSc.(Hons) +44(0)1843 872030
- · Distributor:

FUJIFILM UK LTD St Martins Way St Martins Business Centre Bedford. MK42 OLF UK TEL: +44 (0) 1234 245245

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC

💢 Xi; Irritant

R36/38: Irritating to eyes and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives on Hazardous Materials

· Code letter and hazard designation of product:

· Hazard-determining components of labelling:

Hexamethylene diacrylate

- · Risk phrases:
 - 36/38 Irritating to eyes and skin.
 - May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Safety phrases:
 - 36/37 Wear suitable protective clothing and gloves.
- · Other hazards
- \cdot Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 13048-33-4 EINECS: 235-921-9	Hexamethylene diacrylate Xi R36/38 Xi R43 ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
CAS: 75980-60-8 EINECS: 278-355-8	Phosphine Oxide, Diphenyl(2,4,6-tri-Methylbenzoyl)- Xn R62 N R51/53 Repr. 2, H361; Aquatic Chronic 2, H411	1-5%
CAS: 67906-98-3	2-Propenoic acid,1,6-hexanediyl ester, polymer with 2-aminoethanol Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%

· Additional information

For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information

Never make an unconscious person vomit or drink fluids.

Immediately remove any clothing soiled by the product.

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately wash with soap and water and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse open eye for several minutes under running water. Then consult a doctor.

· After swallowing

Give patient copious amounts of water to drink and provide fresh air. Call for a doctor immediately.

- · Information for doctor
- \cdot Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- \cdot Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Cool endangered containers with water spray.

(Contd. on page 3)

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

(Contd of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

 \cdot Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Refer to the protective measures stated in Sections 7 and 8. Keep unprotected personnel away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities if seepage into water course or sewage system occurs.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Store in cool, dry place in tightly sealed containers.

Keep away from heat and direct sunlight.

Ensure good ventilation and extraction at the workplace.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with current national regulations.
- · Requirements to be met by storerooms and containers: Store between 5 30°C.
- \cdot Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- · Additional information:

The instructions and information provided by the manufacturer of the personal protective equipment on use, storage, maintenance and replacement must always be followed.

- · Exposure controls
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Store protective clothing separately.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Single use disposable nitrile gloves (short duration exposure of few minutes, or where only splashes likely). Not to be reused when removed.

(Contd. on page 4)

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

(Contd. of page 3)

Minimum 0.4mm thick neoprene or nitrile gloves (longer duration exposure or mechanical handling activities). To be replaced immediately when punctured or degraded.

Heavy duty unlined neoprene gloves (when using solvents). To be replaced immediately when punctured or degraded.

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The selection of single or multi-use gloves is dependent upon the level of exposure.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Always ensure that gloves are free from defects and that they are stored and used correctly.

Hands should be inspected on a regular basis for any signs of skin damage or inflammation

· Penetration time of glove material

The exact break through time has to be obtained from the manufacturer of the protective gloves and must be observed.

- · Eye protection: Safety glasses
- · Body protection:

Protective work clothing; disposable overalls are preferable.

Acrylates, like any other organic solvent, are skin and/or eye irritants. Since acrylates do not evaporate, they will remain on the skin or clothes for extended periods. This long term exposure, caused by the non volatility, can give rise to dermatitis. It is essential that the measures given above are always followed.

· COSHH Essentials for Printers Control Guidance Sheet:

Guidance is provided by the Health and Safety executive (HSE) concerning COSHH (Control of Substances Hazardous to Health) for printers.

See COSHH Essentials for Printers on the HSE website:

www.hse.gov.uk and enter 'COSHH Essentials for printers' in the search bar.

9 Physical and chemical properties

- \cdot Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Colour: According to product specification

· Odour: Characteristic

 \cdot Change in condition

Melting point/Melting range: undetermined

Boiling point/Boiling range:	100°C
· Flash point:	Not applicable
· Self igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20°C: · Water:	1.36 g/cm³ Not miscible or difficult to mix
· Viscosity: dynamic: kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: · Other information	0.0 % No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 5)

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

(Contd. of page 4)

- · Stable until: 50°C
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

13048-33-4 Hexamethylene diacrylate

		> 3000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

12 Ecological information

· Toxicity

Aquatic	toxici	tv.

13048-33-4 Hexamethylene diacrylate

	>1-10< mg/l (Daphnia)
EC/LC50 72 h	>1-10< mg/l (Algae)
EC50/72 h	1-10 mg/l (Scenedesmus subspicatus)
LC50/96 h	>1-10< mg/l (Fish)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

There are no data on the preparation itself.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. Also refer to Section 2.

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household rubbish. Do not allow product to reach sewage system.

· European waste catalogue

08 03 12* waste ink containing dangerous substances

- · Waste Hazard Classification: H4 Irritant
- · Recommendation:

Also see Section 16 'Other Information'

Dispose of product according to official regulations.

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

(Contd. of page 5)

14 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)ADR, ADN, IMDG, IATA	
· Class · Packing group	Void
· ADR, IMDG, IATA · Environmental hazards:	Void
· Marine pollutant: · Special precautions for user	Not applicable.
· Transport in bulk according to Anne: II of MARPOL73/78 and the IBC Code	
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Markings according to EU guidelines:

The product has been classified and marked in accordance with EU Directives on Hazardous Materials $\ \ \,$

 \cdot Code letter and hazard designation of product:

Xi Irritant

· Hazard-determining components of labelling:

Hexamethylene diacrylate

· Risk phrases:

36/38 Irritating to eyes and skin.

43 May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

36/37 Wear suitable protective clothing and gloves.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

· Recommended restriction of use

The product should not be used for any purpose other than that specified in Section 1.

(Contd. on page 7)

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2012 Version number 3 Revision: 19.06.2012

Range: UVXTRA VB - VB00C

(Contd. of page 6)

· Department issuing MSDS:

Product Safety Department - Fujifilm Speciality Ink Systems Limited

· Contact: Elaine Campling BSc.(Hons) - Product Safety Manager

CD