

Revision: 03.07.2014



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2014

Version number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product indentifier Screen Printing Ink
- · Range UVXTRA VB VB00D
- · Product Codes VB127
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 The product should not be used for any purpose other than that specified in
 Section 1.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer:

Fujifilm Speciality Ink Systems Limited Pysons Road, Broadstairs, Kent. CT10 2LE. Tel. +44 (0)1843 866668

· Information department:

Product Safety Department. +44 (0)1843 872030 elaine.campling@fujifilmsis.com

· 1.4 Emergency telephone number: Elaine Campling BSc. (Hons) +44(0)1843 872030

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant

R38-41: Irritating to skin. Risk of serious damage to eyes.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Oxybis(methyl-2,1-ethanediyl) diacrylate Hexamethylene diacrylate Glycerolpropoxytriacrylate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 1)

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous componen	ts:	
CAS: 57472-68-1 EINECS: 260-754-3	Oxybis(methyl-2,1-ethanediyl) diacrylate Xi R38-41 Xi R43 Eye Dam. 1, H318 Skin Irrit. 2, H315; Skin Sens. 1, H317	40-60%
CAS: 13048-33-4 EINECS: 235-921-9	Hexamethylene diacrylate Xi R36/38 Xi R43 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	1-5%
CAS: 67906-98-3	2-Propenoic acid,1,6-hexanediyl ester, polymer with 2-aminoethanol Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 75980-60-8 EINECS: 278-355-8	Phosphine Oxide, Diphenyl (2,4,6-tri-Methylbenzoyl) - Xn R62 N R51/53 Repr. 2, H361f Aquatic Chronic 2, H411	<1.0%

Additional information

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Never make an unconscious person vomit or drink fluids.

Immediately remove any clothing soiled by the product.

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately wash with soap and water and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse open eye for several minutes under running water. Then consult a doctor. Call a doctor immediately.

· After swallowing

Give patient copious amounts of water to drink and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Cool endangered containers with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation





Refer to the protective measures stated in Sections 7 and 8. Keep unprotected personnel away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities if seepage into water course or sewage system occurs.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly sealed containers.

Keep away from heat and direct sunlight.

Ensure good ventilation and extraction at the workplace.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with current national regulations.
- · Requirements to be met by storerooms and containers: Store between 5 30 °C.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Protect from heat and direct sunlight.

(Contd. on page 4)

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:
- · DNELs

worker:

57472-68-1	Oxybis	(methyl-2,1-ethanediyl) diacrylate
Dermal	DNEL	2.77 mg/kg (-) (Long Term)
Inhalation	DNEL	24.48 mg/m3 (-) (Long Term)

· Additional information:

The instructions and information provided by the manufacturer of the personal protective equipment on use, storage, maintenance and replacement must always be followed.

· 8.2 Exposure controls

· General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Store protective clothing separately.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Single use disposable nitrile gloves (short duration exposure of few minutes, or where only splashes likely). Not to be reused when removed.

Minimum 0.4mm thick neoprene or nitrile gloves (longer duration exposure or mechanical handling activities). To be replaced immediately when punctured or degraded.

Heavy duty unlined neoprene gloves (when using solvents). To be replaced immediately when punctured or degraded.

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The selection of single or multi-use gloves is dependent upon the level of exposure.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Always ensure that gloves are free from defects and that they are stored and used correctly.

Hands should be inspected on a regular basis for any signs of skin damage or inflammation

· Penetration time of glove material

The exact break through time has to be obtained from the manufacturer of the protective gloves and must be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection:

Protective work clothing; disposable overalls are preferable.

Acrylates, like any other organic solvent, are skin and/or eye irritants. Since acrylates do not evaporate, they will remain on the skin or clothes for extended periods. This long term exposure, caused by the non volatility, can give rise to dermatitis. It is essential that the measures given above are always followed.

· COSHH Essentials for Printers Control Guidance Sheet:

(Contd. on page 5)

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 4)

Guidance is provided by the Health and Safety executive (HSE) concerning COSHH (Control of Substances Hazardous to Health) for printers.

See COSHH Essentials for Printers on the HSE website:

www.hse.gov.uk and enter 'COSHH Essentials for printers' in the search bar.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and ch · General Information	emical properties
· Appearance: Form: Colour: Odour: Odour threshold:	Fluid According to product specification Characteristic Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 100 °C
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	Not applicable
· Decomposition temperature:	Not determined.
· Self igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper: · Oxidizing properties	Not determined. Not determined. Not determined
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate Water: 	1.22 g/cm³ Not determined. Not determined. Not determined. Not miscible or difficult to mix
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: · dynamic: · kinematic:	Not determined Not determined. Not determined.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Solvent content:

· 10.2 Chemical stability

Organic solvents:
9.2 Other information

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Stable until: 50 °C
- · 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 6)

No further relevant information

available.

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

57472-68-1 Oxybis (methyl-2,1-ethanediyl) diacrylate

EC50/48 h | 10-100 mg/l (Daphnia) EC50/72 h | 10-100 mg/l (Aquatic Plants) LC50/96 h | 1-10 mg/l (Brachydanio rerio)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

There are no data on the preparation itself.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.



Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household rubbish. Do not allow product to reach sewage system.

· European waste catalogue

08 03 12* | waste ink containing dangerous substances

- · Waste Hazard Classification: H4 Irritant
- Recommendation:

Also see Section 16 'Other Information'

(Contd. on page 7)

Version number 3 Printing date 19.09.2014

Range UVXTRA VB - VB00D

(Contd. of page 6)

Revision: 03.07.2014

Dispose of product according to official regulations.

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · Chemical Safety Assessment Chemical Safety Assessment not applicable
- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Does not contain a SVHC according to REACH, Article 57

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- R36/38 Irritating to eyes and skin.
- Irritating to skin.
- R41 Risk of serious damage to eyes.
- May cause sensitisation by skin contact.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Possible risk of impaired fertility. R62

(Contd. on page 8)

Printing date 19.09.2014 Version number 3 Revision: 03.07.2014

Range UVXTRA VB - VB00D

(Contd. of page 7)

· Recommended restriction of use

The product should not be used for any purpose other than that specified in Section 1.

· Department issuing MSDS:

Product Safety Department - Fujifilm Speciality Ink Systems Limited

· Contact: Elaine Campling BSc. (Hons) - Product Safety Manager

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association (IATA Dangerous Goods Regulation (DGR) 55th Edition 2014)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Repr. 2: Reproductive toxicity, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

G